

09-21-22	PLAN REVIEW
09-22-22	BID SET

DRAWN: EJK APPR.: CDQ

REFLECTED CEILING PLANS

A1.11

GENERAL ELECTRICAL NOTES:

1. FOR SYMBOL AND ABBREVIATION DESCRIPTIONS SEE SHEET F1.
2. THE INTENT OF ELECTRICAL WORK SHOWN ON THIS DRAWING IS TO ESTABLISH DESIRED LOCATIONS OF FIXTURES. IT IS NOT TO BE CONSTRUED AS A COMPREHENSIVE PLAN OF ALL FIXTURES AND DEVICES REQUIRED BY CODES.
3. EXISTING ELECTRICAL OUTLETS, LIGHTING, SWITCHES, PHONE & DATA TO REMAIN UNLESS NOTED OTHERWISE.
4. EXISTING ELECTRICAL OUTLETS, SWITCHES, FIRE ALARM PULL STATIONS, FIRE ALARM HORNS, ETC. TO BE RECONFIGURED AS REQUIRED.

GENERAL CEILING PLAN NOTES:

1. ALL EXISTING CEILINGS TO REMAIN UNLESS NOTED OTHERWISE.
2. SPRINKLER HEADS NOT SHOWN FOR CLARITY. INSTALLER TO COORDINATE LOCATION AND QUANTITY WITH CODE AND CEILING FIXTURE LAYOUT.
3. ALL EXISTING SKY CEILING PANELS TO REMAIN

KEYED DEMOLITION FLOOR PLAN NOTES:

- | | |
|----|---|
| C1 | NOT USED |
| C2 | EXISTING CEILING AND GRID TO BE MAINTAINED AS POSSIBLE. RECONFIGURE AS REQUIRED FOR NEW WALL. |
| C3 | NEW DIMMABLE LIGHTING IN THIS ROOM |
| C4 | PROVIDE NEW ACT CEILINGS WHERE DISHWASHER VENTILATION SYSTEM HAS BEEN REMOVED. |

NORTH